

AQ4.000SC-C14E0





Information

- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve and trim (3 pieces)
- Rainfall, rain curtain and cascade water functions
- Showerhead features no-clog, easy-clean spray nozzles
- Wall-mounted, battery-powered controller and holder; controls LED chromotherapy lighting
- Optional extension kit
- Showerhead flow rate ≤ 1.8 gpm





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8043-C14E-T



Information

- Single metal handle and decorative trim plateUse with G-8006 thermostatic rough valve
- ADA



Polished Chrome





- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve

Available Finishes

- Polished Chrome
 G-8043-C14E1-T-PC
- Polished Nickle G-8043-C14E1-T-PN
- Unfinished Brass*
 G-8043-C14E1-T-UB*
- Steelnox® G-8043-C14E1-T-SN
- Olive Bronze*
 G-8043-C14E1-T-OB*
- Gold*
 G-8043-C14E1-T-AU*
- Brushed Gold*
 G-8043-C14E1-T-BAU*


Code Compliance

ADA

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-designs.com/en-nam/warranty



^{*} Special order finish- call for availability



G-8076



Information

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



Polished Chrome





- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


CALGreen

Warranty

Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8098-C14E1-T



Information

- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve
- ADA



Polished Chrome





- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve

Available Finishes

- Polished Chrome G-8098-C14E1-T-PC
- Polished Nickle G-8098-C14E1-T-PN
- Unfinished Brass*
 G-8098-C14E1-T-UB*
- Steelnox® G-8098-C14E1-T-SN
- Olive Bronze*
 G-8098-C14E1-T-OB*
- Gold*
 G-8098-C14E1-T-AU*
- Brushed Gold*
 G-8098-C14E1-T-BAU*


Code Compliance

ADA

Warranty


Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



^{*} Special order finish- call for availability





Information

- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



Polished Chrome







- Rainfall, rain curtain and cascade water functions
- 6-color LED chromotherapy lighting
- Battery powered LED controller with wall-mounted holder
- No-clog, easy-clean spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

Available Finishes

 Stainless Polished G-8221-SP

Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs

17-11/16" (450 mm)

23-5/8" (600 mm)